



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/695,317	10/28/2003	Douglas C. Buhler	10020953-1	4870

7590 09/20/2005

AGILENT TECHNOLOGIES, INC.
Legal Department, DL429
Intellectual Property Administration
P.O. Box 7599
Loveland, CO 80537-0599

EXAMINER

HUR, JUNG H

ART UNIT PAPER NUMBER

2824

DATE MAILED: 09/20/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

>

Office Action Summary

Application No.

10/695,317

Applicant(s)

BUHLER ET AL.

Examiner

Jung (John) Hur

Art Unit

2824

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 July 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9 and 11-32 is/are rejected.
- 7) ☒ Claim(s) 10 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 October 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Amendment

1. Acknowledgment is made of applicant's Amendment, filed 05 July 2005. The changes and remarks disclosed therein have been considered.

No claims have been cancelled or added by the Amendment. Therefore, claims 1-32 are pending in the application.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-3, 5, 8, 9, 12-20, 29 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stevens (U.S. Pat. No. 5,465,065).

Stevens, for example in Fig. 4, discloses a circuit and a related method for determining the propagation delay of an integrated circuit, comprising: a first rank of logic memory elements (D flip-flops 94A-94E), each logic memory element having a data input (D input), a data output (inherent in D flip-flops), and a clock input (C input), the clock inputs being coupled together and configured to be driven by a clock signal (applied at 68 and 96); a plurality of delay units (82, 84, 86, 88 and 90) coupled in series, each delay unit having an input and an output, the output of each delay unit configured to drive the data input of one of the logic memory elements (for example, the output of 82 driving 94A); wherein each of the plurality of delay units exhibit

Art Unit: 2824

the same amount of delay (or in a linear fashion, as implied in column 4, lines 15-25); further comprising a preliminary delay unit (for example, 70, 72, 74, 76, 78 and 80).

However, Stevens does not disclose a logic inverter having an input configured to be driven by the clock signal, the inverter having an output configured to drive the input of the first delay unit of the plurality of delay units; that the preliminary delay unit is positioned either before or after the inverter; and that each delay unit comprises a plurality of logic inverters coupled in series.

Since Stevens discloses negative-edge-triggered flip-flops (94A-94E in Fig. 4), and since positive-edge-triggered flip-flops were common and well-known in the art as an equivalent means for capturing and storing data, it would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the circuit of Stevens by substituting the negative-edge-triggered flip-flops with positive-edge-triggered flip-flops as an equivalent alternative and including a logic inverter either before or after the preliminary delay unit to essentially obtain the same function and result. Such modification to a logic circuit using an inverted logic configuration to essentially obtain a same effect and result was common and common and well known in the art and would have been within the ordinary skill in the art. Further, use of logic inverters in series for a delay unit was common and well known in the art.

4. Claims 6, 7, 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stevens (U.S. Pat. No. 5,465,065) in view of Horowitz et al. ("The Art of Electronics", Cambridge University Press, 1980, pages 343-344).

Art Unit: 2824

Stevens discloses a circuit as recited in claims 1 and 19, with the exception of a second rank of logic memory elements, each logic memory element of the second rank having a data input, a data output, and a clock input, the clock inputs being coupled together and configured to be driven by the clock signal, the data input of each logic memory element of the second rank configured to be driven by the data output of one of the logic memory elements of the first rank, wherein each logic memory element of the second rank comprises a D flip-flop.

Horowitz, for example in Fig. 8.45A on page 344, discloses a second D flip-flop logic memory element (the slave flip-flop on the right side of the dashed line) having a data input (an input M at 5), a data output (Q), and a clock input (connected to 5 and 6) driven by a clock signal (CLK), the data input of the second logic memory element configured to be driven by the data output (the output M from 3) of a first D flip-flop logic memory element (the master flip-flop on the left side of the dashed line).

Since the master-slave flip-flop configuration was common and well known in the art (see for example Horowitz, page 343, column 2, the middle paragraph), it would have been obvious at the time the invention was made to a person having ordinary skill in the art to couple a second rank of D flip-flops in the circuit of Stevens, one for each of the first rank of D flip-flops, in a master-slave configuration as in Horowitz, for the purpose of reliably and stably capturing and storing the propagation data.

5. Claims 4, 11, 24-28 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stevens (U.S. Pat. No. 5,465,065) in view of Miura (U.S. Pat. No. 6,756,833).

Stevens discloses a circuit and a related method as recited in claims 1, 12 and 29, with the exception of a multiplexer having data inputs, selector inputs, and a data output; a second plurality of delay units coupled in series, each delay unit of the second plurality of delay units having an input and an output, the output of each delay unit of the second plurality of delay units configured to drive one of the inputs of the multiplexer; and a microprocessor configured to read the data output of each of the logical memory elements and to select one of the data inputs of the multiplexer via the selector inputs for gating to the output of the multiplexer (i.e., a means for tuning the speed of a critical signal based on the stored logical state for each of the delayed inverted clock signals); wherein each delay unit of the second plurality of delay units comprises a plurality of logic inverters coupled in series.

Miura, for example in Fig. 3, discloses a multiplexer (15), a second plurality of delay units in series (12), each comprising a plurality of logic inverters in series (see column 3, lines 53-57), and a microprocessor (21), for tuning the speed of a critical signal (INPUT SIGNAL A).

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to incorporate the circuit of Stevens in a system such as that of Miura, such that the propagation delay information stored in the logic memory elements of Stevens would be accessed by the CPU to select one of the delayed signals (as in Miura), for the purpose of efficiently and accurately adjusting the signal delays under various ambient conditions, such as changes in the operating temperature, the power supply voltage, etc. (see for example Stevens, column 2, lines 22-34, and Miura, column 1, lines 35-42).

Art Unit: 2824

6. Claims 23 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stevens (U.S. Pat. No. 5,465,065) in view of Baumann (U.S. Pat. No. 5,744,992).

Stevens discloses a circuit and a related method as recited in claims 12 and 29, with the exception of a means for forcing the stored logical state of each of the delayed inverted clock signals to collectively display a single logical transition indicating the propagation delay of the integrated circuit.

Baumann, for example in Fig. 1, discloses a means for forcing a stored logical state (in flip-flops 131-146) of each of the delayed clock signals (at the outputs of 111-126) to collectively display (as outputs 171-185) a single logical transition indicating the propagation delay (i.e., detecting only the leading edge of the propagated signal, via 151-165; see also column 4, lines 4-17).

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to incorporate Baumann's means for displaying a single logical transition indicating the propagation delay, for the purpose of accurately determining the propagation delay in a slow signal path (wherein multiple transition edges may occur).

Allowable Subject Matter

7. Claim 10 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter:

The record of the prosecution as a whole makes clear the reasons for the indication of allowable subject matter.

Response to Arguments

8. Applicant's arguments filed 05 July 2005 have been fully considered but they are not persuasive.

Regarding claim 1, Applicant argues, starting at the bottom of page 11, that “there is no suggestion or motivation in the Stevens reference to make the proposed substitutions. First, there is nothing in the Stevens reference that suggests the use of an inverter circuit and propagation of a delay circuit using an inverted clock signal and positive-edge-triggered flip-flops. Second, the Stevens circuit is specifically designed using negative-edge-triggered flip-flops. The addition of the inverter and inverted clock signals would add elements to the Stevens circuit, thereby going against motivation for such a substitution. Accordingly, per *In re Dance, supra*, because the prior art is absent of any suggestion, teaching, or motivation to make the Examiner's proposed substitution in Stevens' circuit to reach the Applicant's invention, a rejection under 35 U.S.C. § 103(a) is improper.”

Applicant further argues on page 12 that “the Examiner's proposed addition of a preliminary inverter circuit and substitution of positive-edge-triggered flip-flops for Steven's negative-edge-triggered flip-flops would add substantial redesign of Steven's circuit. Not only would it require the addition of the inverter circuit to provide an inverted input signal to the flip-flops, and the substitution of negative-edge-triggered flip-flops for Steven's negative-edge-triggered flip-flops, but it would require additional non-trivial changes to the implementation of

Art Unit: 2824

the stages of the delay line shown in Stevens' FIG. 5 and in the operation of the preferred mode of the circuit within a serial data receiver as shown in Stevens' FIG. 7. Per *In re Ratti, supra*, an obviousness rejection is therefore not appropriate since substantial reconstruction or redesign of the Stevens reference is necessary to arrive at the invention."

Similar arguments are presented for claims 12 and 29, starting at the bottom of page 12.

In response, it is noted that, although Stevens does not suggest or disclose a motivation for the proposed substitution, the equivalence of positive logic and negative logic (or, inverted logic) in integrated circuits and the substitution of one with the other (including, as necessary, the trigger logic of flip flops) were common and well known in the art (see, for example, U.S. Pat. No. 3,601,537, column 3, lines 51-61; U.S. Pat. No. 3,739,160, column 16, lines 41-47; U.S. Pat. No. 3,997,740, column 4, lines 22-38; U.S. Pat. No. 4,177,388, column 5, lines 52-65; U.S. Pat. No. 4,251,805, column 6, lines 1-14; U.S. Pat. No. 5,087,828, column 1, lines 37-42).

Therefore, upon discovering the Stevens reference, one of ordinary skill in the art would be motivated to invert the logic of Stevens' circuit of Fig. 4, for applications requiring an inverted logic, by inverting the calibration clock signal with an inverter and substituting the negative-edge-triggered flip flops of Stevens with positive-edge-triggered flip flops, such that a negative (or inverted) calibration clock would be used instead of Stevens' positive calibration clock. Such logic changes would be within the ordinary skill in the art, and would not be a substantial reconstruction or redesign.

Conclusion

Art Unit: 2824

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jung (John) Hur whose telephone number is (571) 272-1870. The examiner can normally be reached on M-F 6:30 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Elms can be reached on (571) 272-1869. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2824

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

jhh



ANH PHUNG
PRIMARY EXAMINER